

fixed benching (600mm deep)



lamine (bench)



grey fleck beech maple

trespa (bench)



speckled white

600mm deep benching is best used when space for service pipes is not required behind built in storage units. If space allows, we would recommend using the 650mm / 750mm bench depths where services are needed.



The cantilever leg frames allow most cfg fixed storage units to be fitted at any point along the bench as the vertical leg sits behind 465mm deep

carcases. Leg frames for each bench height in the range are available and should be checked carefully to match fixed storage unit heights.


Fixed benching comes complete with downstand rails and sufficient softwood fixing rails (both supplied loose).

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address: http://www.cfg.gov.uk/products/data_folder/data_pg.htm

uk/products/data_folder/data_pg.htm

type	W (mm)	D	Ht	age	size mark	component	colour	cat ref	price
 worktop & downstand rail (with colour matched edging)	3025	600	80			lamine	beech	6020bch	92.45
	3025	600	80			lamine	grey fleck	6020grf	92.45
	3025	600	80			lamine	maple	6020mpl	92.45
 worktop & downstand rail solid grade lamine	2550	600	80			solid lamine	sp white	6025spw	173.29

fixed benching (650mm deep)



laminite (bench)



trespa (bench)



A 650mm depth worktop allows more room to run services behind under-bench storage units. Useful where available room space does not allow for the use of 750mm deep benching.





The cantilever leg frames allow most cfg fixed storage units to be fitted at any point along the bench as the vertical leg sits behind 465mm deep

carcases. Leg frames for each bench height in the range are available and should be checked carefully to match fixed storage unit heights.

Fixed benching comes complete with downstand rails and sufficient softwood fixing rails (both supplied loose).

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address: http://www.cfg.gov.uk/products/data_folder/data_pg.htm

uk/products/data_folder/data_pg.htm

type	W (mm)	D	Ht	age	size mark	component	colour	cat ref	price
	worktop & downstand rail (with colour matched edging)	3025	650	80			laminite beech	6022bch	97.73
	(with black PVC edging)	3025	650	80			laminite grey fleck	6022grf	97.73
	(with colour matched edging)	3025	650	80			laminite maple	6022mpl	97.73
	worktop & downstand rail solid grade laminite	3050	650	80			solid laminite sp white	6026spw	233.02
	1360m trespa bench + inset round sink (R/H bowl)	1360	650	80			solid laminite sp white	6050spw	327.76
	(L/H bowl)	1360	650	80			solid laminite sp white	6051spw	327.76
	1360mm trespa bench + inset stainless steel sink (R/H bowl)	1360	650	80			solid laminite sp white	6052spw	210.26
	(L/H bowl)	1360	650	80			solid laminite sp white	6053spw	210.26
	1522m trespa bench + inset round sink (double drainer)	1522	650	80			solid laminite sp white	6055spw	357.92
	1522mm trespa bench + inset stainless steel sink (double drainer)	1522	650	80			solid laminite sp white	6056spw	460.45

fixed benching (750mm deep)



lamine (bench)



grey fleck beech maple

trespa (bench)



speckled white

750mm deep benching is ideal when space for service pipes is required behind built in storage units. It is also suitable for ICT classrooms with flat-screen computers.

The cantilever leg frames allow most cfg fixed storage units to be fitted at any point along the bench as the vertical leg sits behind 465mm deep

carcases. Leg frames for each bench height in the range are available and should be checked carefully to match fixed storage unit heights.



Fixed benching comes complete with downstand rails and sufficient softwood fixing rails (both supplied loose).

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address: http://www.cfg.gov.uk/products/data_folder/data_pg.htm

uk/products/data_folder/data_pg.htm

type	W (mm)	D	Ht	age	size mark	component	colour	cat ref	price
worktop & downstand rail (with colour matched edging) (with black PVC edging) (with colour matched edging)	3025	750	80			lamine	beech	6030bch	102.68
	3025	750	80			lamine	grey fleck	6030grf	102.68
	3025	750	80			lamine	maple	6030mpl	102.68
worktop & downstand rail solid grade lamine	3050	750	80			solid lamine	sp white	6035spw	242.61
1360m trespa bench + inset round sink (R/H bowl) (L/H bowl)	1360	750	80					6060spw	332.11
	1360	750	80					6061spw	332.11
1360mm trespa bench + inset stainless steel sink (R/H bowl) (L/H bowl)	1360	750	80					6062spw	214.60
	1360	750	80					6063spw	214.60
1522m trespa bench + inset round sink (double drainer)	1500	750	80					6065spw	362.78
1522mm trespa bench + inset stainless steel sink (double drainer)	1522	750	80					6066spw	465.32










- plinth
 -  black
- trespa (bench)
 -  speckled white

This range of fixed benching components can be used with any bench height.

Please contact CFG or British Thornton ESF Ltd for help and advice selecting the correct components for you needs.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address: http://www.cfg.gov.uk/products/data_folder/data_pg.htm

[uk/products/data_folder/data_pg.htm](http://www.cfg.gov.uk/products/data_folder/data_pg.htm)

type	W (mm)	D	Ht	age	size mark	component	colour	cat ref	price
 upstand rail (with colour matching PVC edging) (with black PVC edging) (with colour matching PVC edging) (solid grade laminate)	3025	50	16			laminate	beech	6045bch	12.89
	3025	50	16			laminate	grey fleck	6045grf	12.89
	3025	50	16			laminate	maple	6045mpl	12.89
	3025	50	16			solid laminate	sp white	6046spw	25.77
 softwood wall fixing batten	3000	50	25			softwood		6044	5.51
 continuous plinth rail (moisture resistant) (moisture resistant)	3050	15	95			mfc	black	6040 P95	4.63
	3050	15	145			mfc	black	6041 P145	7.02
plinth sealing corner strip (160mm section)			160			plastic	black	6042	1.00
 joint kit								6048	2.22
 inset sink - r/h bowl (stainless steel) general grade science grade	950	508	165					6072	54.64
	1030	500	178					6075	468.08
 inset sink -l/h bowl (stainless steel) general grade science grade	950	508	165					6071	54.64
	1030	500	178					6074	468.08
 inset sink -double drainer (stainless steel) general grade science grade	1376	525	178					6073	292.25
	1376	525	178					6076	599.33
epoxy resin sink cfg round sink (white) medium	300	300	290					6070	134.43
	400	300				resin	deep grey	6082	145.73

large	600	450		resin deep grey	6083	225.59
<hr/>						
fireclay sink						
small - Larch	305	305	180	ceramic white	6077	151.75
medium - Larch	430	330	190	ceramic white	6078	256.91
large - Belfast	610	455	255	ceramic white	6079	198.16
<hr/>						
sink support clips (x4)						
(for use with Larch sinks)					6080	5.88
<hr/>						
sink support frame (large)						
fitted internally to double cupboard					6081	24.13
<hr/>						
benchtop cut out						
(round sink)					6095	17.57
(inset S.S sink)					6096	17.57
(fireclay sink - small)					6097	17.57
(fireclay sink - medium)					6098	17.57
(fireclay sink - large)					6099	17.57
<hr/>						
pillar taps (pair) general grade						
standard					6086	32.41
Lever action					60861	62.86
<hr/>						
deck mixer taps (domestic chrome)						
two hole supply					6088	91.36
one hole supply					6089	54.27
<hr/>						
laboratory hot & cold water mixer tap						
(Standard)					60885	91.36
(With lever action handles)					60886	144.17
<hr/>						
laboratory single bib tap						
(Cold water)					60881	47.54
(Hot water)					60882	47.54
<hr/>						
laboratory single fixed swan neck tap						
CFG style (to match cfg round sink) - Cold water					6085	46.69
(Cold water)					60883	46.69
(Hot water)					60884	46.69
<hr/>						
bottle trap						
1.5" domestic					60862	4.10
Vulcathene					60864	12.42
<hr/>						
waste & overflow						
(general grade)					60863	9.66
Vulcathene (science grade)					60865	10.77
<hr/>						
gas taps						
(2 way)					6090	29.29
(4 way)					6091	53.77
<hr/>						

bench components (600mm height)









This range of fixed benching components are bench height specific. Please ensure that the correct height is specified to correspond with under-bench storage units.

Please note that leg supports are only required when fixed benching is not supported by under bench storage units.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

type	W (mm)	D	Ht	age	size mark	component	colour	cat ref	price
 600-750mm deep leg support (600mm high bench)	600	25	584			frame	mid grey	6160 F95	16.04
 610mm deep termination panel (600mm high bench)	610	18	660			mfc	options	6163 F95	13.31
 660mm deep termination panel (600mm high bench)	660	18	660			mfc	options	6165 F95	14.14
 760mm deep termination panel (600mm high bench)	760	18	660			mfc	options	6164 F95	14.98
 corner post	85	85	520			mfc	options	6180 F95	20.33
 infil panel (600mm width)	600	15	520			mfc	options	6170 F95	9.98
(1000mm width)	1000	15	520			mfc	options	6171 F95	13.84
(1200mm width)	1200	15	520			mfc	options	6172 F95	15.77
(1500mm width)	1500	15	520			mfc	options	6173 F95	24.41

bench components (650mm height)



panels









This range of fixed benching components are bench height specific. Please ensure that the correct height is specified to correspond with under-bench storage units.

Please note that leg supports are only required when fixed benching is not supported by under bench storage units.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

type	W (mm)	D	Ht	age	size mark	component	colour	cat ref	price
 600-750mm deep leg support (650mm high bench)	600	25	634			frame	mid grey	6160 F145	16.15
 610mm deep termination panel (650mm high bench)	610	18	710			mfc	options	6163 F145	13.31
 660mm deep termination panel (650mm high bench)	660	18	710			mfc	options	6165 F145	14.14
 760mm deep termination panel (650mm high bench)	760	18	710			mfc	options	6164 F145	14.98
 corner post	85	85	570			mfc	options	6180 F145	20.33
 infil panel (600mm width)	600	15	570			mfc	options	6170 F145	9.98
(1000mm width)	1000	15	570			mfc	options	6171 F145	13.84
(1200mm width)	1200	15	570			mfc	options	6172 F145	15.77
(1500mm width)	1500	15	570			mfc	options	6173 F145	24.41

bench components (725mm height)



panels









This range of fixed benching components are bench height specific. Please ensure that the correct height is specified to correspond with under-bench storage units.

Please note that leg supports are only required when fixed benching is not supported by under bench storage units.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

type	W (mm)	D	Ht	age	size mark	component	colour	cat ref	price
 600-750mm deep leg support (725mm high bench)	600	25	709			frame	mid grey	6260 F95	16.32
 610mm deep termination panel (725mm high bench)	610	18	785			mfc	options	6263 F95	13.31
 660mm deep termination panel (725mm high bench)	660	18	785			mfc	options	6265 F95	14.14
 760mm deep termination panel (725mm high bench)	760	18	785			mfc	options	6264 F95	14.98
 corner post	85	85	545			mfc	options	6280 F95	20.33
 infil panel (600mm width)	600	15	545			mfc	options	6270 F95	9.98
(1000mm width)	1000	15	545			mfc	options	6271 F95	13.84
(1200mm width)	1200	15	545			mfc	options	6272 F95	15.77
(1500mm width)	1500	15	545			mfc	options	6273 F95	24.41

bench components (775mm height)



panels









This range of fixed benching components are bench height specific. Please ensure that the correct height is specified to correspond with under-bench storage units.

Please note that leg supports are only required when fixed benching is not supported by under bench storage units.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

type	W (mm)	D	Ht	age	size mark	component	colour	cat ref	price
 600-750mm deep leg support (775mm high bench)	600	25	759			frame	mid grey	6260 F145	16.44
 610mm deep termination panel (775mm high bench)	610	18	835			mfc	options	6263 F145	14.43
 660mm deep termination panel (775mm high bench)	660	18	835			mfc	options	6265 F145	15.40
 760mm deep termination panel (775mm high bench)	760	18	835			mfc	options	6264 F145	16.35
 corner post	85	85	695			mfc	options	6280 F145	20.33
 infil panel (600mm width)	600	15	695			mfc	options	6270 F145	9.98
(1000mm width)	1000	15	695			mfc	options	6271 F145	13.84
(1200mm width)	1200	15	695			mfc	options	6272 F145	15.77
(1500mm width)	1500	15	695			mfc	options	6273 F145	24.41

bench components (850mm height)



panels









This range of fixed benching components are bench height specific. Please ensure that the correct height is specified to correspond with under-bench storage units.

Please note that leg supports are only required when fixed benching is not supported by under bench storage units.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

type	W (mm)	D	Ht	age	size mark	component	colour	cat ref	price
 600-750mm deep leg support (850mm high bench)	600	25	834			frame	mid grey	6360 F95	16.61
 610mm deep termination panel (850mm high bench)	610	18	910			mfc	options	6363 F95	14.43
 660mm deep termination panel (850mm high bench)	660	18	910			mfc	options	6365 F95	15.40
 760mm deep termination panel (850mm high bench)	760	18	910			mfc	options	6364 F95	16.35
 corner post	85	85	770			mfc	options	6380 F95	22.28
 infil panel (600mm width)	600	15	770			mfc	options	6370 F95	9.98
(1000mm width)	1000	15	770			mfc	options	6371 F95	13.84
(1200mm width)	1200	15	770			mfc	options	6372 F95	15.77
(1500mm width)	1500	15	770			mfc	options	6373 F95	24.41

bench components (900mm height)









This range of fixed benching components are bench height specific. Please ensure that the correct height is specified to correspond with under-bench storage units.

Please note that leg supports are only required when fixed benching is not supported by under bench storage units.


Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

type	W (mm)	D	Ht	age	size mark	component	colour	cat ref	price
 600-750mm deep leg support (900mm high bench)	600	25	884			frame	mid grey	6360 F145	16.71
 610mm deep termination panel (900mm high bench)	610	18	960			mfc	options	6363 F145	14.43
 660mm deep termination panel (900mm high bench)	660	18	960			mfc	options	6365 F145	15.40
 760mm deep termination panel (900mm high bench)	760	18	960			mfc	options	6364 F145	16.35
 corner post	85	85	820			mfc	options	6380 F145	22.28
 infil panel (600mm width)	600	15	820			mfc	options	6370 F145	9.98
(1000mm width)	1000	15	820			mfc	options	6371 F145	13.84
(1200mm width)	1200	15	820			mfc	options	6372 F145	15.77
(1500mm width)	1500	15	820			mfc	options	6373 F145	24.41



carcase						
lt grey	beech	maple				
front						
mid grey	blue	green*	burgundy	beech	maple	fino*
handles (aluminium)						
silver	charcoal	blue	green	burgundy	red	yellow



The cfg re:action range (fixed units) comprises storage units designed to support fixed benching at heights of 600 & 650mm (nursery), 725 & 775mm (primary), 850 & 900mm (secondary).

Please note these storage units do not have tops, as they are not necessary for under bench storage. If you require a fully enclosed, mobile storage carcass, please choose from our re:action range (mobile units).


† If locks are required on units with doors / drawers suffix 'L' to the cat ref.

* "green" and "fino bronze" door fronts are high pressure laminates and will incur a % price increase. Price on application.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

	type	W (mm)	D	Ht	age	Size mark	component	colour	cat ref	price	
	open shelf	350	465	520			carcase	options	6100 F95	67.20	
		512	465	520			carcase	options	6120 F95	71.07	
		1010	465	520			carcase	options	6140 F95	88.48	
	double cupboard	1010	465	520			carcase	options	6141 F95	126.00	
	single cupboard (R/H hinge)	350	465	520			carcase	options	6102 F95	77.58	
		(L/H hinge)	350	465	520			carcase	options	6103 F95	77.58
		(R/H hinge)	512	465	520			carcase	options	6122 F95	87.77
		(L/H hinge)	512	465	520			carcase	options	6123 F95	87.77
	a4 tray / shelf unit (trays not included)	with doors	1010	465	520			carcase	options	6147 F95	128.13
		open front front	1010	465	520			carcase	options	6148 F95	93.42
	a4 tray unit (trays not included)	4x A4 tray unit (open front)	350	465	520			carcase	options	6104 F95	60.70
		4x A4 tray unit with doors (R/H hinge)	350	465	520			carcase	options	6106 F95	77.16
		4x A4 tray unit with doors (L/H hinge)	350	465	520			carcase	options	6107 F95	77.16
		12x A4 tray unit (open front)	1010	465	520			carcase	options	6144 F95	109.34
		12x A4 tray unit with doors	1010	465	520			carcase	options	6145 F95	146.96
	3 drawers	350	465	520			carcase	options	6109 F95	104.32	
		512	465	520			carcase	options	6129 F95	114.06	
		1010	465	520			carcase	options	6149 F95	178.03	
	corner double cupboard (R/H hinge)	1010	465	520			carcase	options	6154 F95	113.44	

	(L/H hinge)	1010	465	520	carcase	options	6155 F95	113.44
	a3 tray unit (trays not included)							
	4x A3 tray unit (open front)	507	465	520	carcase	options	6124 F95	67.56
	4x A3 tray unit with doors (R/H hinge)	507	465	520	carcase	options	6126 F95	86.69
	4x A3 tray unit with doors (L/H hinge)	507	465	520	carcase	options	6127 F95	86.69
	locks per unit (note: top drawer only on drawer units) Suffix "L" to the cat ref and add additional cost to total per unit)						† suffix L	9.53



carcase


lt grey beech maple

front

mid grey blue green* burgundy beech maple fino*

handles (aluminium)

silver charcoal blue green burgundy red yellow



The cfg re:action range (fixed units) comprises storage units designed to support fixed benching at heights of 600 & 650mm (nursery), 725 & 775mm (primary), 850 & 900mm (secondary).

Please note these storage units do not have tops, as they are not necessary for under bench storage. If you require a fully enclosed, mobile storage carcass, please choose from our re:action range (mobile units).


† If locks are required on units with doors / drawers suffix 'L' to the cat ref.

* "green" and "fino bronze" door fronts are high pressure laminates and will incur a % price increase. Price on application.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

	type	W (mm)	D	Ht	age	Size mark	component	colour	cat ref	price
	open shelf	350	465	570			carcase	options	6100 F145	68.41
		512	465	570			carcase	options	6120 F145	72.27
		1010	465	570			carcase	options	6140 F145	89.68
	double cupboard	1010	465	570			carcase	options	6141 F145	127.21
	single cupboard									
	(R/H hinge)	350	465	570			carcase	options	6102 F145	78.78
	(L/H hinge)	350	465	570			carcase	options	6103 F145	78.78
	(R/H hinge)	512	465	570			carcase	options	6122 F145	88.97
	(L/H hinge)	512	465	570			carcase	options	6123 F145	88.97
	a4 tray / shelf unit (trays not included)									
	4x A4 tray/shelf (with doors)	1010	465	570			carcase	options	6147 F145	128.13
	4x A4 tray/shelf (open front)	1010	465	570			carcase	options	6148 F145	94.62
	a4 tray unit (trays not included)									
	4x A4 tray unit (open front)	350	465	570			carcase	options	6104 F145	61.90
	4x A4 tray unit with doors (R/H hinge)	350	465	570			carcase	options	6106 F145	78.33
	4x A4 tray unit with doors (L/H hinge)	350	465	570			carcase	options	6107 F145	78.33
	12x A4 tray unit (open front)	1010	465	570			carcase	options	6144 F145	110.55
	12x A4 tray unit with doors	1010	465	570			carcase	options	6145 F145	148.17
	3 drawers									
		350	465	570			carcase	options	6109 F145	105.52
		512	465	570			carcase	options	6129 F145	115.27
		1010	465	570			carcase	options	6149 F145	179.23
	corner double cupboard									
	(R/H hinge)	1010	465	570			carcase	options	6154 F145	114.64

	(L/H hinge)	1010	465	570	carcase	options	6155 F145	114.64
	a3 tray unit (trays not included)							
	4x A3 tray unit (open front)	507	465	570	carcase	options	6124 F145	68.76
	4x A3 tray unit with doors (R/H hinge)	507	465	570	carcase	options	6126 F145	87.90
	4x A3 tray unit with doors (L/H hinge)	507	465	570	carcase	options	6127 F145	87.90
	locks per unit (note: top drawer only on drawer units) Suffix "L" to the cat ref and add additional cost to total per unit)						↑ suffix L	9.53



carcase


lt grey beech maple

front

mid grey blue green* burgundy beech maple fino*

handles (aluminium)

silver charcoal blue green burgundy red yellow



The cfg re:action range (fixed units) comprises storage units designed to support fixed benching at heights of 600 & 650mm (nursery), 725 & 775mm (primary), 850 & 900mm (secondary).

Please note these storage units do not have tops, as they are not necessary for under bench storage. If you require a fully enclosed, mobile storage carcass, please choose from our re:action range (mobile units).




† If locks are required on units with doors / drawers suffix 'L' to the cat ref.

* "green" and "fino bronze" door fronts are high pressure laminates and will incur a % price increase. Price on application.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

	type	W (mm)	D	Ht	age	Size mark	component	colour	cat ref	price
	open shelf	350	465	645			carcase	options	6200 F95	69.37
		512	465	645			carcase	options	6220 F95	73.48
		1010	465	645			carcase	options	6240 F95	90.89
	double cupboard	1010	465	645			carcase	options	6241 F95	128.41
	single cupboard									
	(R/H hinge)	350	465	645			carcase	options	6202 F95	80.00
	(L/H hinge)	350	465	645			carcase	options	6203 F95	80.00
	(R/H hinge)	512	465	645			carcase	options	6222 F95	90.17
	(L/H hinge)	512	465	645			carcase	options	6223 F95	90.17
	a4 tray / shelf unit (trays not included)									
	6x A4 tray/shelf (with doors)	1010	465	645			carcase	options	6247 F95	128.13
	6x A4 tray/shelf (open front)	1010	465	645			carcase	options	6248 F95	95.84
	a4 tray unit (trays not included)									
	6x A4 tray unit (open front)	350	465	645			carcase	options	6204 F95	63.10
	6x A4 tray unit with doors (R/H hinge)	350	465	645			carcase	options	6206 F95	80.16
	6x A4 tray unit with doors (L/H hinge)	350	465	645			carcase	options	6207 F95	80.16
	18x A4 tray unit (open front)	1010	465	645			carcase	options	6244 F95	111.76
	18x A4 tray unit with doors	1010	465	645			carcase	options	6245 F95	150.56
	4 drawers									
		350	465	645			carcase	options	6209 F95	126.47
		512	465	645			carcase	options	6229 F95	136.21
		1010	465	645			carcase	options	6249 F95	203.03
	1 drawer / double cupboard	1010	465	645			carcase	options	6250 F95	158.23

	1 drawer / single cupboard								
	(R/H hinge)	350	465	645	carcase	options	6211 F95	102.14	
	(L/H hinge)	350	465	645	carcase	options	6212 F95	102.14	
	(R/H hinge)	512	465	645	carcase	options	6231 F95	109.64	
	(L/H hinge)	512	465	645	carcase	options	6232 F95	109.64	
	1 drawer / filing cupboard								
		350	465	645	carcase	options	6213 F95	129.12	
		512	465	645	carcase	options	6233 F95	147.43	
	corner double cupboard								
	(R/H hinge)	1010	465	645	carcase	options	6254 F95	115.85	
	(L/H hinge)	1010	465	645	carcase	options	6255 F95	115.85	
	a3 tray unit (trays not included)								
	6x A3 tray unit (open front)	507	465	645	carcase	options	6224 F95	70.58	
	6x A3 tray unit with doors (R/H hinge)	507	465	645	carcase	options	6226 F95	90.30	
	6x A3 tray unit with doors (L/H hinge)	507	465	645	carcase	options	6227 F95	90.30	
	locks per unit (note: top drawer only on drawer units)								
	Suffix "L" to the cat ref and add additional cost to total per unit)						† suffix L	9.53	



carcase


lt grey beech maple

front

mid grey blue green* burgundy beech maple fino*

handles (aluminium)

silver charcoal blue green burgundy red yellow



The cfg re:action range (fixed units) comprises storage units designed to support fixed benching at heights of 600 & 650mm (nursery), 725 & 775mm (primary), 850 & 900mm (secondary).

Please note these storage units do not have tops, as they are not necessary for under bench storage. If you require a fully enclosed, mobile storage carcass, please choose from our re:action range (mobile units).




† If locks are required on units with doors / drawers suffix 'L' to the cat ref.

* "green" and "fino bronze" door fronts are high pressure laminates and will incur a % price increase. Price on application.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

	type	W (mm)	D	Ht	age	Size mark	component	colour	cat ref	price
	open shelf	350	465	695			carcase	options	6200 F145	70.58
		512	465	695			carcase	options	6220 F145	74.68
		1010	465	695			carcase	options	6240 F145	92.09
	double cupboard	1010	465	695			carcase	options	6241 F145	129.61
	single cupboard									
	(R/H hinge)	350	465	695			carcase	options	6202 F145	81.20
	(L/H hinge)	350	465	695			carcase	options	6203 F145	81.20
	(R/H hinge)	512	465	695			carcase	options	6222 F145	91.38
	(L/H hinge)	512	465	695			carcase	options	6223 F145	91.38
	a4 tray / shelf unit (trays not included)									
	6x A4 tray/shelf (with doors)	1010	465	695			carcase	options	6247 F145	128.13
	6x A4 tray/shelf (open front)	1010	465	695			carcase	options	6248 F145	97.04
	a4 tray unit (trays not included)									
	6x A4 tray unit (open front)	350	465	695			carcase	options	6204 F145	64.31
	6x A4 tray unit with doors (R/H hinge)	350	465	695			carcase	options	6206 F145	81.36
	6x A4 tray unit with doors (L/H hinge)	350	465	695			carcase	options	6207 F145	81.36
	18x A4 tray unit (open front)	1010	465	695			carcase	options	6244 F145	112.97
	18x A4 tray unit with doors	1010	465	695			carcase	options	6245 F145	151.77
	4 drawers									
		350	465	695			carcase	options	6209 F145	127.68
		512	465	695			carcase	options	6229 F145	137.41
		1010	465	695			carcase	options	6249 F145	204.23
	1 drawer / double cupboard	1010	465	695			carcase	options	6250 F145	158.24

	1 drawer / single cupboard								
	(R/H hinge)	350	465	695	carcase	options	6211 F145	103.35	
	(L/H hinge)	350	465	695	carcase	options	6212 F145	103.35	
	(R/H hinge)	512	465	695	carcase	options	6231 F145	110.84	
	(L/H hinge)	512	465	695	carcase	options	6232 F145	110.84	
	1 drawer / filing cupboard								
		350	465	695	carcase	options	6213 F145	129.73	
		512	465	695	carcase	options	6233 F145	148.64	
	corner double cupboard								
	(R/H hinge)	1010	465	695	carcase	options	6254 F145	117.05	
	(L/H hinge)	1010	465	695	carcase	options	6255 F145	117.05	
	a3 tray unit (trays not included)								
	6x A3 tray unit (open front)	507	465	695	carcase	options	6224 F145	72.09	
	6x A3 tray unit with doors (R/H hinge)	507	465	695	carcase	options	6226 F145	91.81	
	6x A3 tray unit with doors (L/H hinge)	507	465	695	carcase	options	6227 F145	91.81	
	locks per unit (note: top drawer only on drawer units)								
	Suffix "L" to the cat ref and add additional cost to total per unit)						† suffix L	9.53	



carcase


lt grey beech maple

front

mid grey blue green* burgundy beech maple fino*

handles (aluminium)

silver charcoal blue green burgundy red yellow



The cfg re:action range (fixed units) comprises storage units designed to support fixed benching at heights of 600 & 650mm (nursery), 725 & 775mm (primary), 850 & 900mm (secondary).

Please note these storage units do not have tops, as they are not necessary for under bench storage. If you require a fully enclosed, mobile storage carcass, please choose from our re:action range (mobile units).







† If locks are required on units with doors / drawers suffix 'L' to the cat ref.

* "green" and "fino bronze" door fronts are high pressure laminates and will incur a % price increase. Price on application.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:


http://www.cfg.gov.uk/products/data_folder/data_pg.htm

	type	W (mm)	D	Ht	age	Size mark	component	colour	cat ref	price	
	open shelf	350	465	770			carcase	options	6300 F95	71.71	
		512	465	770			carcase	options	6320 F95	75.89	
		1010	465	770			carcase	options	6340 F95	93.30	
	double cupboard	1010	465	770			carcase	options	6341 F95	130.83	
	single cupboard (R/H hinge)	350	465	770			carcase	options	6302 F95	82.40	
		350	465	770			carcase	options	6303 F95	82.40	
		512	465	770			carcase	options	6322 F95	92.59	
		512	465	770			carcase	options	6323 F95	92.59	
	a4 tray / shelf unit (trays not included)	8x A4 tray/shelf (with doors)	1010	465	770			carcase	options	6347 F95	128.13
		8x A4 tray/shelf (open front)	1010	465	770			carcase	options	6348 F95	98.24
	a4 tray unit (trays not included)	8x A4 tray unit - single column (open front)	350	465	770			carcase	options	6304 F95	65.52
		8x A4 tray unit - single column (with doors - R/H hinge)	350	465	770			carcase	options	6306 F95	83.17
		8x A4 tray unit - single column (with doors - L/H hinge)	350	465	770			carcase	options	6307 F95	83.17
		16x A4 tray unit - double column (open front)	685	465	770			carcase	options	6335 F95	89.85
		24x A4 tray unit - triple column (open front)	1010	465	770			carcase	options	6344 F95	114.17
		24x A4 tray unit - triple column (with doors)	1010	465	770			carcase	options	6345 F95	154.15
	5 drawers	350	465	770			carcase	options	6309 F95	151.04	
		512	465	770			carcase	options	6329 F95	158.36	
		1010	465	770			carcase	options	6349 F95	226.82	

		1010	465	770		carcase options	6350 F95	160.66
	1 drawer / single cupboard							
	(R/H hinge)	350	465	770		carcase options	6311 F95	104.56
	(L/H hinge)	350	465	770		carcase options	6312 F95	104.56
	(R/H hinge)	512	465	770		carcase options	6331 F95	112.06
	(L/H hinge)	512	465	770		carcase options	6332 F95	112.06
	2 drawer / filing cupboard							
		350	465	770		carcase options	6313 F95	145.86
		512	465	770		carcase options	6333 F95	152.70
	pigeon hole (8 compartments)							
		1010	465	770		carcase options	6351 F95	159.54
	a3 portfolio unit (8 vertical compartments)							
		1010	465	770		carcase options	6352 F95	159.54
	corner double cupboard							
	(R/H hinge)	1010	465	770		carcase options	6354 F95	118.27
	(L/H hinge)	1010	465	770		carcase options	6355 F95	118.27
	a3 tray unit (trays not included)							
	8x A3 tray unit (open front)	507	465	770		carcase options	6324 F95	73.60
	8x A3 tray unit with doors (R/H hinge)	507	465	770		carcase options	6326 F95	93.92
	8x A3 tray unit with doors (L/H hinge)	507	465	770		carcase options	6327 F95	93.92
locks per unit (note: top drawer only on drawer units)								
Suffix "L" to the cat ref and add additional cost to total per unit)							† suffix L	9.53



carcase						
lt grey	beech	maple				
front						
mid grey	blue	green*	burgundy	beech	maple	fino*
handles (aluminium)						
silver	charcoal	blue	green	burgundy	red	yellow



The cfg re:action range (fixed units) comprises storage units designed to support fixed benching at heights of 600 & 650mm (nursery), 725 & 775mm (primary), 850 & 900mm (secondary).

Please note these storage units do not have tops, as they are not necessary for under bench storage. If you require a fully enclosed, mobile storage carcass, please choose from our re:action range (mobile units).




† If locks are required on units with doors / drawers suffix 'L' to the cat ref.

* "green" and "fino bronze" door fronts are high pressure laminates and will incur a % price increase. Price on application.

Fixing guides for the cfg storage & benching range are available as a PDF download at the following address:

http://www.cfg.gov.uk/products/data_folder/data_pg.htm

	type	W (mm)	D	Ht	age	Size mark	component	colour	cat ref	price
	open shelf	350	465	820			carcase	options	6300 F145	72.92
		512	465	820			carcase	options	6320 F145	77.07
		1010	465	820			carcase	options	6340 F145	94.48
	double cupboard	1010	465	820			carcase	options	6341 F145	132.00
	single cupboard									
	(R/H hinge)	350	465	820			carcase	options	6302 F145	83.58
	(L/H hinge)	350	465	820			carcase	options	6303 F145	83.58
	(R/H hinge)	512	465	820			carcase	options	6322 F145	93.77
	(L/H hinge)	512	465	820			carcase	options	6323 F145	93.77
	a4 tray / shelf unit (trays not included)									
	8x A4 tray/shelf (with doors)	1010	465	820			carcase	options	6347 F145	128.13
	8x A4 tray/shelf (open front)	1010	465	820			carcase	options	6348 F145	99.42
	a4 tray unit (trays not included)									
	8x A4 tray unit - single column (open front)	350	465	820			carcase	options	6304 F145	66.70
	8x A4 tray unit - single column (with doors - R/H hinge)	350	465	820			carcase	options	6306 F145	84.34
	8x A4 tray unit - single column (with doors - L/H hinge)	350	465	820			carcase	options	6307 F145	84.34
	16x A4 tray unit - double column (open front)	685	465	820			carcase	options	6335 F145	89.85
	24x A4 tray unit - triple column (open front)	1010	465	820			carcase	options	6344 F145	115.34
	24x A4 tray unit - triple column (with doors)	1010	465	820			carcase	options	6345 F145	155.32
	5 drawers									
		350	465	820			carcase	options	6309 F145	152.21
		512	465	820			carcase	options	6329 F145	159.54
		1010	465	820			carcase	options	6349 F145	228.00

		1010	465	820		carcase options	6350 F145	161.83
	1 drawer / single cupboard (R/H hinge)	350	465	820		carcase options	6311 F145	105.74
	(L/H hinge)	350	465	820		carcase options	6312 F145	105.74
	(R/H hinge)	512	465	820		carcase options	6331 F145	113.23
	(L/H hinge)	512	465	820		carcase options	6332 F145	113.23
	2 drawer / filing cupboard	350	465	820		carcase options	6313 F145	147.03
		512	465	820		carcase options	6333 F145	153.87
	pigeon hole (8 compartments)	1010	465	820		carcase options	6351 F145	160.75
	a3 portfolio unit (8 vertical compartments)	1010	465	820		carcase options	6352 F145	160.75
	corner double cupboard (R/H hinge)	1010	465	820		carcase options	6354 F145	119.44
	(L/H hinge)	1010	465	820		carcase options	6355 F145	119.44
	a3 tray unit (trays not included)							
	8x A3 tray unit (open front)	507	465	820		carcase options	6324 F145	74.77
	8x A3 tray unit with doors (R/H hinge)	507	465	820		carcase options	6326 F145	95.09
	8x A3 tray unit with doors (L/H hinge)	507	465	820		carcase options	6327 F145	95.09
	locks per unit (note: top drawer only on drawer units) Suffix "L" to the cat ref and add additional cost to total per unit)						† suffix L	9.53